# **GL-FL190 Series** User's Manual

Thank you for choosing the GL-FL190 LED products

Please install and use the products according to the following directions to ensure normal function and operation.

Please use stainless screw to fix holder and make sure screwed tightly.

Please do not add/remove any electrical components to/from the products or change/tamper the original electrical design without our permission.

Please do not add/remove any mechanical components to/from the products or change/tamper the original mechanical design without our permission. If you do not follow these instructions to properly install and use the GL-FL190, you will not be eligible for warranty compensation or protection. We do not take any responsibility for product damage resulting from improper installation or abnormal usage.

#### \* For 3 in 1 dimmable function

- · "DIM+/ DIM-"Connecting a variable resistor(0~100KΩ resistor) / 0~10Vdc Direct Voltage or a 10V / PWM signal can adjust the dimmable lighting
- · Connecting "DIM+/ DIM-"to "AC L / AC N" may damage the Lighting.
- · When the control cable "DIM+/ DIM-" is open, LED Light output is 100%.



Installation Steps The set up process should be executed by qualified (Certified) engineers.


## Step 1.

Before installation, please turn off the power switch.



## Step 2.

Connect the fixture's power cables to their corresponding colors of the power source and entwine together. Connect the grounding line to the grounding screw of the grounding devices.





( Grounding line should be fixed perpetually and not allow to disconnect.

## Step 3.

Screw the LED fixture tight onto a wall or a stand and adjust the angle in accordance with individual needs.


\* Please use stainless screw to fix holder and make sure screwed tighly.





### For 3 in 1 dimmable


Connecting the illumination dimmer to LED driver





Connecting "DIM+/DIM-" to "AC L/AC N" may damage the Lighting.

# **GL-FL190 Outlook**



# **Notices**

- 1. Avoding improper use to exceed the criterion limitation of lamp operation temperature.
- 2. Allow lamp to cool before replacing.
- 3. Not suitable for dimming function.

### **CAUTIONS**


- 1. If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.
- 2. Prior to installation, remove the AC power.











# GL-FL190系列 使用手冊

感謝您選擇使用 GL-FL190 LED燈具。

請您依據下列說明指示來安裝本產品,以確保本產品的正常運作。

請使用不鏽鋼螺絲固定支架,並確實鎖緊。

請勿增加或刪除任何電子元件,未經許可勿更改或修改電氣設計。請勿增加或刪除任何機構元件,未經許可勿更

如您未按說明指示妥善安裝以及正常使用GL-FL190 燈具,您的產品將無法得到正常的保修補償。不正常的安裝與 使用所造成的產品損壞,本公司具免責權利。

#### \* 3合1調光功能說明

- · 在DIM + 和DIM 之間連接一個可變電阻(0~100K $\Omega$  resistor)或連接0~10Vdc直流電壓或 10V / PWM信號·可調整亮度·
- · 勿將DIM + / DIM 與AC L / AC N相連接,這樣會造成LED驅動器損壞。
- · 當控制線DIM + / DIM 開路(open)時 · 亮度輸出為100% ·

# 安裝指南。安裝流程應由合格的技術人員進行

#### 步驟 1.


安裝前,

請確實關閉交流電源開關。



#### 步驟 2.

依照電源線的顏色配接,地線分別 接到固定板上的地線螺絲。





接地線應永久固定連接, 不可斷開。

# 步驟 3.

使用螺絲將燈具固定於牆面或支 架上。依需求調整照射角度。


\*請使用不鏽鋼螺絲固定 支架,並確實鎖緊






### \*3合1調光功能


連接調光器到電源驅動器 DIM+/DIM-




勿將DIM + / DIM - 與 AC L / AC N相連接· 以免造成LED驅動器損壞。

# FL190 外觀







# 燈具使用注意事項

- 1. 避免使用超過燈具工作溫度標準外。
- 2. 請燈具冷卻之後再進行更換。
- 3. 不適合調光功能。

- 1. 如果燈具外部纜線有損壞,應當由製造 商、代理商或符合資格的施工人員做更 換,以避免危險。
- 2. 安裝前,請確實關閉交流電源。

IP66 *BR* 









©2018 GlacialTech Inc. 版權所有 翻印必究 本說明書內容如有變更恕不另行通知。 欲瞭解更多資訊·請參閱官方網站: www.GlacialLight.com