






Installation Instructions for TL0606

| Photograph | Description |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
|  | <p>將 troffer light 翻至背面 Flip the troffer light on its back.</p> |
|  | <p>接上 AC 線 (安裝前，請關閉電源) Insert the power cord into the connector. (Note: Turn off the AC power before connecting.)</p> |
|  | <p>①壓 ②推 Step 1. Press the clip on the connector and; Step 2. Push the cord into the hole revealed.</p> |




接線完成
Complete diagram.



電源 L/N
L/N diagram.



拿掉一塊天花板
Remove one panel from the ceiling.




裝上 troffer light
Make sure the troffer light sits on the bracket steadily.


鎖牆吸頂方式 - Wall Mounting and Ceiling Installation



將 troffer light 正放，兩側邊皆有兩個鎖孔
With the troffer light facing upward, two screw tabs can be found on both sides (total of 4) of the fixture.




鎖孔特寫
Closer look of the screw tab.



將鎖孔扳出至 90 度
Bend the screw tab by 90 degree.



四個鎖孔皆扳出
Bend all four of the screw tabs.



鎖上螺絲

Insert a screw into the screw hole of the tab.



完成動作

Complete diagram.



即可鎖在牆壁上或天花板上

Troffer light can be mounted onto the wall or to the ceiling.


懸吊方式 - Hanging Installation




每台 troffer light 需要兩組鋼索吊線
Each troffer light has two suspension cables.



使用電鑽鑽出 $\Phi 7 \times 40\text{mm}$ 的孔徑在天花板上
Use the Power Drill to make a $\Phi 7 \times 40\text{mm}$ hole in the ceiling.




將膨脹螺絲塞放入鑽孔處
Gently hammer the screw holder into the hole drilled.



將鋼索懸吊頭轉開

Unscrew the suspension cables from the suspension holder.



使用 M5 螺絲，將鋼索懸吊頭固定在鑽孔處

Use the M5 screws to fix the suspension cable holder to the hole created.




將鋼索吊線旋轉鎖上


Fix the suspension holder by screwing it back together.




將 troffer light 反放·兩側邊皆有兩個懸吊孔
With the troffer light's back faces upward.
Two tabs can be found on both sides of the fixture (total of 4).



懸吊孔特寫
Closer look of the tab.



將懸吊孔扳出至 90 度
Bend the tab by 90 degrees.



四個懸吊孔皆扳出
Bend all four of the tabs.



將帶鈎的鋼索吊線扣上四個懸吊孔
Clip the cable into the hangers.



即可掛上天花板安裝完成
With the installation complete the troffer light securely hangs from the ceiling.