



毅豐光電股份有限公司
Taiwan Photometric Solution Inc

70953台南市海中街288號 Tel : (06)2568831 Fax : (06)2563437

E-mail : light.lab@msa.hinet.net Web : www.lightlab.com.tw



Testing Laboratory

2262

DEGREES OF PROTECTION PROVIDED BY ENCLOSURES PATTERN TEST REPORT

Test Standard : IEC/EN 60598-1 (2008) · IEC/EN 60529 (2001-2002)

Date of Receipt : 2013 / 05 / 16

Test Date : 2013 / 05 / 16 ~ 2013 / 05 / 17

Result of determination this subclass type experiment : **PASS(IP65)**

1. Issue date for test report : 2013 / 05 / 22
2. Report No : 13051505-1
3. Total pages : 9
4. Test report without steel stamp is not valid, and shall not be reproduced except in full.
5. Test sample is not sampling by laboratory, test result relate only to the items tested.
6. Test report is not responsible for advertisement or promotion for products.
7. This report replaces the report No.13051505, original report declared invalid.

Approved Signatory:



Test Report

Information for test items

Applicant : GlacialTech Inc

Applicant's address : 9F1., No.352, Sec.2, Jung Shan Rd., Jung He City, Taipei,
Taiwan, 235, R.O.C

Manufacturer : GlacialTech Inc

Manufacturer's address : 9F1., No.352, Sec.2, Jung Shan Rd., Jung He City,
Taipei, Taiwan, 235, R.O.C

Product : Wall-mounted luminaires

Mode : GL-WL1012XYZ (XYZ maybe any character or number or blank for
marketing purpose only)

Logo :  or **BR**

Rated voltage : 230 V

Uses the place : in door out door

Outward appearance size : ϕ 150 mm 、 H 100 mm

Application test rank : IP65

Test content

Standard chapter		Result of test	Determination
Temperature : 25.4 °C Humidity : 58.8 %RH			
IP6x	IEC/EN 60598-1 (sec.9) IEC/EN 60529 (sec.11.4) (sec.13.1) (sec.13.4) (sec.13.6)	No dust into the enclosure, and was still normal the movement	PASS
IPx5	IEC/EN 60598-1 (sec.9) IEC/EN 60529 (sec.14.1) (sec.14.2.5) (sec.14.3)	No water into the enclosure, and was still normal the movement	PASS

Photo of test items

Before the test



Before the test



Photo of test items

IP6X testing



IP6X after the test



Photo of test items

IP6X after the test



-Following blank-

Photo of test items

IPX5 testing



IPX5 after the test



Photo of test items

IPX5 after the test



-Following blank-



Equipment list and testing engineer for test

Item	Equipment No	Equipment	Manufacturer / Type / Series No
1	99S-04	Bears the dust testing machine class dust + Floating dust	TAICHY TECHNOLOGY LTD DT-1500CF
2	99S-07	Bears the rain water testing machine	TAICHY TECHNOLOGY LTD RT-IEC-IPX5.6
			Testing engineers : Wen-li Lin

-Following blank-